

Formula 10 Degreaser

Safety Data Sheet



SECTION 1: Product and company identification

Product name : Formula 10 Degreaser
Use of the substance/mixture : Cleaner
Product code : 141002 SDS Number: 1410
Company : Share Corporation
P.O. Box 245013
Milwaukee, WI 53224
T (414) 355-4000
Emergency number : Chemtrec: (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS US classification

Met. Corr. 1 H290
Skin Corr. 1B H314

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US) :



GHS05

Signal word (GHS US) :

Danger

Hazard statements (GHS US) :

May be corrosive to metals
Causes severe skin burns and eye damage

Precautionary statements (GHS US) :

Keep only in original container.
Do not breathe mist, spray.
Wash thoroughly after handling
Wear eye protection, protective clothing, protective gloves.
If swallowed: rinse mouth. Do NOT induce vomiting
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
If inhaled: Remove person to fresh air and keep comfortable for breathing
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a doctor, a POISON CENTER
Specific treatment (see First aid measures on this label)
Wash contaminated clothing before reuse.
Absorb spillage to prevent material-damage.
Store locked up.
Store in corrosive resistant container with a resistant inner liner.
Dispose of contents/container to comply with local/regional/national/international regulations

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

Full text of H-phrases: see section 16

3.2. Mixtures

Name	Product identifier	%	GHS US classification
potassium hydroxide, 45% conc<50%, aqueous solutions	(CAS-No.) 1310-58-3	1-5	Met. Corr. 1, H290 Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314



Formula 10 Degreaser

Safety Data Sheet

Name	Product identifier	%	GHS US classification
Glycol Ether EB	(CAS-No.) 111-76-2	1-5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Asp. Tox. 1, H304
Sodium Tripolyphosphate Anhydrous	(CAS-No.) 7758-29-4	1-5	Not classified
disodium metasilicate	(CAS-No.) 6834-92-0	1-5	Skin Corr. 1B, H314 STOT SE 3, H335
Cocamidopropyl Hydroxy Sultaine	(CAS-No.) 68139-30-0	1-5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- First-aid measures after skin contact : Take off immediately all contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. Wash immediately with lots of water.
- First-aid measures after eye contact : Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Take victim to an ophthalmologist.
- First-aid measures after ingestion : Immediately call a poison center or doctor/physician. Rinse mouth. Do NOT induce vomiting. Drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects : Causes severe skin burns and eye damage.
- Symptoms/effects after inhalation : None under normal use.
- Symptoms/effects after skin contact : Causes severe burns.
- Symptoms/effects after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.
- Symptoms/effects after ingestion : Gastrointestinal complaints.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : All extinguishing media allowed.

5.2. Special hazards arising from the substance or mixture

- Reactivity : Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

- Firefighting instructions : Exercise caution when fighting any chemical fire. Use water moderately and if possible collect or contain it. Use water spray or fog for cooling exposed containers.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Isolate from fire, if possible, without unnecessary risk.

6.1.1. For non-emergency personnel

- Protective equipment : Gloves. Protective goggles. Face-shield.
- Emergency procedures : Keep upwind.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent soil and water pollution.

6.3. Methods and material for containment and cleaning up

- For containment : Contain released product, pump into suitable containers.
- Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

No additional information available



Formula 10 Degreaser

Safety Data Sheet

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Carry operations in the open/under local exhaust/ventilation or with respiratory protection. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Store in original container.

Incompatible products : Strong acids.

Storage area : Keep only in the original container. Store in a dry area. Store in a cool area.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Glycol Ether EB (111-76-2)		
ACGIH	ACGIH TWA (ppm)	20 ppm
ACGIH	Remark (ACGIH)	Eye & URT irr
OSHA	OSHA PEL (TWA) (mg/m ³)	240 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	50 ppm
potassium hydroxide, 45% conc<50%, aqueous solutions (1310-58-3)		
ACGIH	ACGIH Ceiling (mg/m ³)	2 mg/m ³
ACGIH	Remark (ACGIH)	URT, eye, & skin irr
disodium metasilicate (6834-92-0)		
Not applicable		
Sodium Tripolyphosphate Anhydrous (7758-29-4)		
Not applicable		
Cocamidopropyl Hydroxy Sultaine (68139-30-0)		
Not applicable		

8.2. Exposure controls

Personal protective equipment : Gloves. Safety glasses. Protective clothing. Use appropriate personal protective equipment when risk assessment indicates this is necessary.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Yellow liquid.

Odor : Mild odour

Odor threshold : No data available

pH : 12 - 14

Melting point : No data available

Freezing point : No data available

Boiling point : No data available

Flash point : > 200 °F Closed Cup

Relative evaporation rate (butyl acetate=1) : No data available

Flammability (solid, gas) : No data available

Explosion limits : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Vapor pressure : No data available



Formula 10 Degreaser

Safety Data Sheet

Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.05 g/ml
Solubility	: Soluble in water.
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
VOC content	: < 4 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Upon combustion: CO and CO2 are formed.

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

May be corrosive to metals. Strong acids. metals.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Glycol Ether EB (111-76-2)	
LD50 oral rat	1300 mg/kg
LD50 dermal rat	> 2000 mg/kg
ATE CLP (oral)	1300 mg/kg body weight
ATE CLP (dermal)	1100 mg/kg body weight
ATE CLP (dust, mist)	1.5 mg/l/4h

potassium hydroxide, 45% conc<50%, aqueous solutions (1310-58-3)	
LD50 oral rat	273 mg/kg (Rat, Oral)
ATE CLP (oral)	273 mg/kg body weight

Skin corrosion/irritation : Causes severe skin burns and eye damage.
pH: 12 - 14

Serious eye damage/irritation : Eye damage, category 1, implicit
pH: 12 - 14

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Glycol Ether EB (111-76-2)	
IARC group	3 - Not classifiable

Reproductive toxicity : Not classified

Specific target organ toxicity – single exposure : Not classified

Specific target organ toxicity – repeated exposure : Not classified



Formula 10 Degreaser

Safety Data Sheet

Glycol Ether EB (111-76-2)	
NOAEL (oral, rat, 90 days)	see comments
NOAEL (dermal, rat/rabbit, 90 days)	see comments
Aspiration hazard	: Not classified
Symptoms/effects after inhalation	: None under normal use.
Symptoms/effects after skin contact	: Causes severe burns.
Symptoms/effects after eye contact	: Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.
Symptoms/effects after ingestion	: Gastrointestinal complaints.
Likely routes of exposure	: Skin and eye contact

SECTION 12: Ecological information

12.1. Toxicity

Glycol Ether EB (111-76-2)	
LC50 fish 1	1474 mg/l <i>Oncorhynchus mykiss</i>
EC50 Daphnia 1	100 mg/l Water flea
ErC50 (algae)	1840 mg/l <i>Pseudokirchneriella subcapitata</i>
NOEC chronic fish	> 100 mg/l
NOEC chronic crustacea	100 mg/l daphnid
potassium hydroxide, 45% conc<50%, aqueous solutions (1310-58-3)	
LC50 fish 1	80 mg/l (96 h, <i>Gambusia affinis</i> , Pure substance)

12.2. Persistence and degradability

potassium hydroxide, 45% conc<50%, aqueous solutions (1310-58-3)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

12.3. Bioaccumulative potential

potassium hydroxide, 45% conc<50%, aqueous solutions (1310-58-3)	
Bioaccumulative potential	Not bioaccumulative.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

Transport document description : UN1814 Potassium hydroxide, solution (Potassium Hydroxide), 8, II
 UN-No.(DOT) : UN1814
 Proper Shipping Name (DOT) : Potassium hydroxide, solution
 Class (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136
 Hazard labels (DOT) : 8 - Corrosive



Packing group (DOT) : II - Medium Danger
 DOT Packaging Non Bulk (49 CFR 173.xxx) : 202
 DOT Packaging Bulk (49 CFR 173.xxx) : 242
 DOT Special Provisions (49 CFR 172.102) : B2,IB2,T7,TP2
 DOT Packaging Exceptions (49 CFR 173.xxx) : 154



Formula 10 Degreaser

Safety Data Sheet

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 1 L
 DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 30 L
 DOT Vessel Stowage Location : A
 DOT Vessel Stowage Other : 52 - Stow "separated from" acids

Additional information

Emergency Response Guide (ERG) Number : 154
 Other information : When transported by ground, this product may be eligible to be shipped as a Limited Quantity or Consumer Commodity ORM-D utilizing the exception found at 49 CFR 173.154. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and labeling may be required.

ADR

No additional information available

Transport by sea

UN-No. (IMDG) : 1814
 Proper Shipping Name (IMDG) : POTASSIUM HYDROXIDE SOLUTION
 Class (IMDG) : 8 - Corrosive substances
 Packing group (IMDG) : II - substances presenting medium danger

Air transport

UN-No. (IATA) : 1814
 Proper Shipping Name (IATA) : Potassium hydroxide solution
 Class (IATA) : 8 - Corrosives
 Packing group (IATA) : II - Medium Danger

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Glycol Ether EB	CAS-No. 111-76-2	1-5%
-----------------	------------------	------

Glycol Ether EB (111-76-2)	
Subject to reporting requirements of United States SARA Section 313	

potassium hydroxide, 45% conc<50%, aqueous solutions (1310-58-3)	
Not subject to reporting requirements of the United States SARA Section 313	
CERCLA RQ	1000 lb

Sodium Tripolyphosphate Anhydrous (7758-29-4)	
Not subject to reporting requirements of the United States SARA Section 313	
CERCLA RQ	5000 lb

Sodium Trimetaphosphate (7785-84-4)	
Not subject to reporting requirements of the United States SARA Section 313	

Formula 10 Degreaser

Safety Data Sheet



Sodium Trimetaphosphate (7785-84-4)	
CERCLA RQ	5000 lb

California Proposition 65 - This product does not contain substances known to the state of California to cause cancer and/or reproductive toxicity


SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

H227	Combustible liquid
H290	May be corrosive to metals
H301	Toxic if swallowed
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

- NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard : 1 - Materials that must be preheated before ignition can occur.
NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.