

# SAFETY SOLVENT AEROSOL

## Non-Flammable Solvent Degreaser

**Form:** Liquid

**Color:** Water White

**Odor:** Chlorinated Solvent

**pH:** N/A

**Solubility (in water):** Insoluble  
**(in mineral spirits):** Soluble

**VOC Content (% by weight):** >90

**Viscosity (CPS at 70°F):** >40

**Flash Point (ASTM D-7821):** >200°F

**Specific Gravity:** 1.46 ± 0.05 g/cm<sup>3</sup>

**Density:** 12.18 ± 0.05 lbs/gal

**Storage Stability (at 70°F):** 1 year

**Ingredients**

**C.A.S. #**

Trichloroethylene.....79-01-6  
 Carbon Dioxide.....124-38-9

<b>Other Uses...</b>
• <b>Brake Cleaner</b>
• <b>Carburetor Cleaner</b>
• <b>Electric Motor Cleaner</b>
• <b>Ink Remover</b>
• <b>Waterless Spot Floor Cleaner</b>
• <b>Rubber Mark Remover</b>
• <b>Dry Cleaning Solvent</b>
• <b>Typewriter Cleaner</b>
• <b>Packaging Machinery Dewaxer</b>

**DIRECTIONS:** Hold nozzle 6 to 8 inches from surface to be cleaned. Spray, allowing SAFETY SOLVENT AEROSOL's flushing action to knock away surface contamination. Wipe surfaces clean and dry.

**NOTE:** May damage some plastics and painted surfaces. Always test in an inconspicuous place before using on these surfaces.

HMIS		NFPA
	Severe 4 Extreme	
Health.....2	Serious 3 High	Health.....2
Flammability.....1	Moderate 2 Moderate	Flammability.....1
Reactivity.....0	Slight 1 Slight	Reactivity.....0
Personal Protection.....X	Minimal 0 Insignificant	Special Precautions.....None